



SR GT 400 - TECHNICAL SPECIFICATIONS

Engine	Single-cylinder 4-stroke
Engine capacity	399 cc
Bore x stroke	84 x 72 mm
Max. power	26,4 kW (36 HP) @ 7.500 rpm
Max. torque	37,7 Nm @ 5.700 rpm
Consumption	3,8 l/100 km
CO₂ Emission	88 g/km
Valve timing system	Single overhead camshaft (SOHC), 4 valves
Cooling	Liquid
Fuel system	Electronic injection
Lubrication	Dry sump system
Starter	Electric
Transmission	Continuously variable transmission (CVT)
Clutch	Automatic, multi-disc oil bath
Chassis	Double cradle, in high-resistance steel tubing
Front suspension	Hydraulic upside-down fork Ø 41 mm, axial stroke 120 mm
Rear suspension	Double hydraulic shock absorber with external gas tank and 12 mm adjustable preload, axial stroke 120 mm
Front brake	Ø 300 mm hydraulic floating disc, radial caliper with 4 pistons Ø 28 mm
Rear brake	Ø 240 mm hydraulic disc and floating caliper with 2 pistons Ø 25,4 mm
Front tyre	120/70 16"
Rear tyre	150/70 14"
Length	2.165 mm
Width	855 mm
Seat height	820 mm
Wheelbase	1.535 mm
Fuel tank capacity	12 L
Emissions compliance	EURO 5+